	3
	7

Form Approved

estimated to average 4 be-		 	OMB No. 0704-0188
		arach estimate of ally	searching existing data sources, gathering and other aspect of this collection of information
donte should be a second	and drawing octations, Directorate	or micemation Operati	ons and Reports (0704-0188) 1215 Jofforcon Do
ilid OMB control number. PLE	ASE DO NOT RETURN YOUR FO	ORM TO THE AROVE	be subject to any penalty for failing to comply with
2. REPORT TYPE		1	3. DATES COVERED (From - To)
Technical Papers	-		(1011-10)
			5a. CONTRACT NUMBER
	. *		5b. GRANT NUMBER
		Γ	5c. PROGRAM ELEMENT NUMBE
			5d. PROJECT NUMBER
	4 · *		2362
		F	5e. TASK NUMBER
			MIG 2
		H	5f. WORK UNIT NUMBER
		·	on Mount Old MOMBER
S) AND ADDRESS(ES) .		8. PERFORMING ORGANIZATION
•	•	ļ	REPORT
C)		·	1
	•	1	4
			The state of the s
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. W.A.		
		Ţ	
NAME(S) AND ADDO	ECC/EC)		ļ .
	123(23)		10. SPONSOR/MONITOR'S
		1.	ACRONYM(S)
2)			ŧ
,		<u> </u>	
			11. SPONSOR/MONITOR'S
•			NUMBER(S)
		İ	
n unlimited.			;
n unlimited.			
n unlimited.			
	17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE
	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	PERSON
			PERSON Leilani Richardson
			PERSON Leilani Richardson 19b. TELEPHONE NUMBER
c. THIS PAGE			PERSON Leilani Richardson 19b. TELEPHONE NUMBER (include area code)
			PERSON Leilani Richardson 19b. TELEPHONE NUMBER (include area code) (661) 275-5015
c. THIS PAGE			PERSON Leilani Richardson 19b. TELEPHONE NUMBER (include area code)
	ent of Defense, Washington He dents should be aware that no idented that no id	ent of Defense, Washington Headquarters Services, Directorate it dents should be aware that notwithstanding any other provision of the control number. PLEASE DO NOT RETURN YOUR FOUND TO SETURN YOUR	Technical Papers S) AND ADDRESS(ES) NAME(S) AND ADDRESS(ES)

REPORT DOCUMENTATION PAGE

MEMORANDUM FOR PRS (In-House/Contractor Publication)

FROM: PROI (TI) (STINFO)

10 October 2000

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-AB-2000-191 Liu, C.T., "Monitoring Initiation and Growth of Crack in a Particulate Composite Material Using Nondestructive Testing Techniques"

2001 SEM Conference on Experimental and Applied Mechanics (Portland, OR 4-6 Jun 2001) (Deadline: 13 Oct 2000)

(Statement A)

b.) military/national critical technology,	e Foreign Disclosure Office for: a.) appropriate c.) export controls or distribution restrictions, gn nation, and e.) technical sensitivity and/or ed				
		700			
Signature	Date _	Date			
and/or b) possible higher headquarters re Comments:	e Public Affairs Office for: a.) appropriateness a eview				
Signature	Date				
b.) appropriateness of distribution staten	e STINFO for: a.) changes if approved as amen nent, c.) military/national critical technology, d l, and f.) format and completion of meeting clea	.) economic sensitivity,			
Signature	Date _				
appropriateness of distribution statemen national critical technology, and f.) data	RS for: a.) technical accuracy, b.) appropriatenet, d.) technical sensitivity and economic sensitirights and patentability	vity, e.) military/			
	APPROVED/APPROVED AS A	APPROVED/APPROVED AS AMENDED/DISAPPROVED			
	PHILIP A. KESSEL Technical Advisor	Date			
Cleared (PA) Logged (PA) Notified (PA) Copied & Distributed (STINFO) This original is for PA files		19 123			

Monitoring Initiation and Growth of Crack in a Particulate Composite Material Using Nondestructive Testing techniques

C. T. Liu AFRL/PRSM 10 E. Saturn Blvd. Edwards AFB CA 93524-7680

An important engineering problem in structural design is evaluating structural integrity and reliability. It is well known that structural strength may be degraded during its design life due to mechanical or chemical aging, or a combination of these two aging mechanisms. Depending on the structural design, material type, service loading, and environmental condition, the cause and degree of strength degradation due to the different aging mechanisms differs. One of the common causes of strength degradation is the result of crack development in the structure.

In recent years, a considerable amount of work has been done in studying damage characteristics in highly filled polymeric materials, using nondestructive testing techniques. The importance of these studies steems from the fact that damage can significantly affect the constitutive and the crack growth behavior in these materials. Experimental findings reveal that damage, expressed in terms of the attenuation of the acoustic energy, increases with increasing strain rate and the critical damage is relatively insensitive to the strain rate. They also reveal that the damage state correlates well with the constitutive behavior of the material. In addition, for pre-cracked specimens, the damage state near the tip of a stationary crack is highly dependent on the loading history.

In this study, Lockheed-Martin Research Laboratory's high-energy real-time x-ray system (HERTS) was used to monitor the processes of initiation and growth of damage and crack in edge-cracked sheet specimens. The specimens were made of a particulate composite material containing hard particles embedded in a rubber matrix and tested at a constant strain rate of 1.0 min⁻¹. The experimental data were analyzed and the results were discussed.